

East 6/15/04

L Number	Hits	Search Text	DB	Time stamp
----------	------	-------------	----	------------

1	146	("5816669" "5219212" "6070951" "4455946" "5732378" "6085860" "6405132" "6623089" "6076626" "4261688" "4285198" "4331211" "4440453" "4457562" "4468926" "4496323" "4779936" "4889093" "4902076" "5465813" "5470135" "5651593" "5709438" "5727854" "5983637" "6148943" "6354672" "6459980" "5915800" "5188434" "5902019" "4889054" "5576959" "6129424" "4758053" "4809181" "5000097" "5720533" "5746486" "5747683" "5941919" "5944394" "6002248" "6017101" "6035251" "6044319" "6106080" "6122584" "6212460" "6212460").pn. ("4898431" "4998593" "5016899" "5063514" "5058018" "5211453" "5224766" "5228757" "5229944" "5303989" "5307888" "5318355" "5328256" "5332300" "5341297" "5402345" "5482133" "5498071" "5501099" "5588176" "5627754" "5634698"	USPAT; US-PGPUB	2004/06/15 12:16
---	-----	---	--------------------	------------------

2	1	delphi.asn. and fail\$4 with computer with program	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/15 12:21
3	4	brak\$4 with failed with yaw	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/15 12:23
4	0	brak\$4 with failed with brak\$4 adj reserve	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/15 12:24
5	0	brak\$4 with yaw adj moment adj rate	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/15 12:24
7	0	brak\$4 with yaw with moment with rate with (fail\$6 or malfunction or defect\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/15 12:27
6	156	brak\$4 with yaw with moment with rate	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/15 12:25
8	23	brak\$4 with yaw adj2 ( moment or rate) with (fail\$6 or malfunction or defect\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/15 12:36
9	8	brak\$4 with yaw adj2 ( moment or rate) with (fail\$6 or malfunction or defect\$5) same steer\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/15 12:32
10	0	brak\$4 with yaw adj2 ( moment with rate) with (fail\$6 or malfunction or defect\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/15 12:36
11	0	brak\$4 with yaw with ( moment with rate) with (fail\$6 or malfunction or defect\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/15 12:36
12	1	brak\$4 with yaw adj2 ( moment or rate) with (fail\$6 or malfunction) same applying	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/15 12:37
13	7	brak\$4 with yaw adj2 ( moment or rate) with (fail\$6 or malfunction) near4 brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/15 12:37
-	40	hac.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/15 12:20
-	32	hac.in. and brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/15 10:11
-	1	hac.in. and brak\$4 same fail\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/15 10:45
-	51926	computer.clm. adj4 medium.clm.	USPAT; US-PGPUB	2004/06/15 10:45
-	137194	computer.clm. adj4 medium.clm. agj5 program.clm.	USPAT; US-PGPUB	2004/06/15 10:46
-	52612	computer.clm. adj4 medium.clm. agj5 program.clm. and brak\$4.clm.	USPAT; US-PGPUB	2004/06/15 10:47
-	0	computer.clm. adj medium.clm. adj5 program.clm. and brak\$4.clm.	USPAT; US-PGPUB	2004/06/15 10:47

-	63	computer.clm. adj4 medium.clm. adj5 program.clm. and brak\$4.clm.	USPAT; US-PGPUB	2004/06/15 12:14
---	----	--	--------------------	------------------

PLUS 6/15/04

**Butler, Douglas**

---

**From:** PLUS  
**Sent:** Wednesday, May 12, 2004 2:54 PM  
**To:** Butler, Douglas  
**Subject:** PLUS Results for 10664759

Here are the PLUS search results for 10664759.

This search was prepared by the staff of the Scientific and Technical Information Center, SIRA. If you have questions or comments about this search, please reply via email to PLUS@uspto.gov.



10664759\_QUAL.txt



10664759\_LIST.txt



10664759\_WEST.txt



10664759\_EAST.txt



10664759.east



10664759\_CLS.txt



10664759\_CLSTITLES.txt



10664759\_WDS.txt

xt

## 10664759\_LIST

PLUS Search Results for S/N 10664759, Searched May 12, 2004

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

5816669	4898431	5850616
5219212	4998593	5852787
6070951	5016899	5857754
4455946	5063514	5865513
5732378	5058018	5879061
6085860	5211453	5913578
6405132	5224766	5928302
6623089	5228757	5931887
6076626	5229944	5934770
4261688	5303989	6021367
4285198	5307888	6053583
4331211	5318355	6056371
4440453	5328256	6070952
4457562	5332300	6074020
4468926	5341297	6078858
4496323	5402345	6092882
4779936	5482133	6094614
4889093	5498071	6120113
4902076	5551769	6131688
5465813	5556176	6139117
5470135	5627754	6139120
5651593	5634698	6152252
5709438	5645326	6178368
5727854	5667286	6183052
5983637	5668724	6195606
6148943	5691900	6205382
6354672	5700073	6208929
6459980	5702165	6209972
5915800	5704695	6212461
5188434	5704696	6219609
5902019	5707119	6209972
4889054	5707120	6212461
5576959	5709439	6219609
6129424	5711025	6238021
4758053	5722743	6240350
4809181	5727853	6263994
5000097	5733019	6278929
5720533	5738420	6280007
5746486	5742919	6283560
5747683	5752752	6286915
5941919	5762157	6324445
5944394	5762406	6374162
6002248	5782543	6409287
6017101	5797111	6416140
6035251	5797663	6424907
6044319	5813732	6498977
6106080	5822709	6572202
6122584	5839799	6584399
6212460	5839798	6615124
6212460	5842754	6698542

10664759\_EAST

(5816669  
5219212  
6070951  
4455946  
5732378  
6085860  
6405132  
6623089  
6076626  
4261688  
4285198  
4331211  
4440453  
4457562  
4468926  
4496323  
4779936  
4889093  
4902076  
5465813  
5470135  
5651593  
5709438  
5727854  
5983637  
6148943  
6354672  
6459980  
5915800  
5188434  
5902019  
4889054  
5576959  
6129424  
4758053  
4809181  
5000097  
5720533  
5746486  
5747683  
5941919  
5944394  
6002248  
6017101  
6035251  
6044319  
6106080  
6122584  
6212460  
6212460) .pn.  
(4898431  
4998593  
5016899  
5063514  
5058018  
5211453  
5224766  
5228757  
5229944

10664759\_EAST

5303989  
5307888  
5318355  
5328256  
5332300  
5341297  
5402345  
5482133  
5498071  
5551769  
5556176  
5627754  
5634698  
5645326  
5667286  
5668724  
5691900  
5700073  
5702165  
5704695  
5704696  
5707119  
5707120  
5709439  
5711025  
5722743  
5727853  
5733019  
5738420  
5742919  
5752752  
5762157  
5762406  
5782543  
5797111  
5797663  
5813732  
5822709  
5839799  
5839798  
5842754) .pn.  
(5850616  
5852787  
5857754  
5865513  
5879061  
5913578  
5928302  
5931887  
5934770  
6021367  
6053583  
6056371  
6070952  
6074020  
6078858  
6092882  
6094614  
6120113



10664759\_EAST

6131688  
6139117  
6139120  
6152252  
6178368  
6183052  
6195606  
6205382  
6208929  
6209972  
6212461  
6219609  
6209972  
6212461  
6219609  
6238021  
6240350  
6263994  
6278929  
6280007  
6283560  
6286915  
6324445  
6374162  
6409287  
6416140  
6424907  
6498977  
6572202  
6584399  
6615124  
6698542) .pn.

10664759\_CLS  
Most Frequently Occurring Classifications of Patents Returned  
From A Search of 10664759 on May 12, 2004

Original Classifications

44	303/146
18	701/70
5	303/140
5	701/41
4	303/147
3	303/148
3	701/72
2	105/167
2	180/197
2	180/408
2	303/149
2	303/150
2	303/165
2	303/3
2	701/1
2	701/71
2	701/73
2	701/83
2	701/89

Cross-Reference Classifications

29	303/140
28	303/146
27	701/72
25	180/197
17	303/147
12	701/41
10	701/70
10	701/71
8	303/148
8	701/78
7	701/83
6	303/113.5
6	303/149
4	303/155
4	701/74
4	701/80
3	180/446
3	280/5.51
3	303/10
3	303/113.4
3	303/163
3	303/166
3	303/186
3	303/188
3	303/193
3	701/37
3	701/38
3	701/42
2	180/169
2	180/244
2	180/248
2	180/410
2	180/411

10664759\_CLS

2 180/415  
 2 180/422  
 2 180/6.2  
 2 180/65.1  
 2 188/181R  
 2 188/358  
 2 303/113.2  
 2 303/114.1  
 2 303/116.1  
 2 303/122  
 2 303/14  
 2 303/150  
 2 303/154  
 2 303/158  
 2 303/167  
 2 303/169  
 2 303/183  
 2 303/189  
 2 303/191  
 2 303/20  
 2 303/3  
 2 303/7  
 2 701/36  
 2 701/48  
 2 701/69  
 2 701/76  
 2 701/82  
 2 701/84  
 2 701/88  
 2 701/90  
 2 701/91

Combined Classifications

72 303/146  
 34 303/140  
 30 701/72  
 28 701/70  
 27 180/197  
 21 303/147  
 17 701/41  
 12 701/71  
 11 303/148  
 9 701/83  
 8 303/149  
 8 701/78  
 6 303/113.5  
 5 303/155  
 5 701/74  
 5 701/80  
 4 303/113.4  
 4 303/150  
 4 303/193  
 4 303/3  
 3 180/169  
 3 180/408  
 3 180/446  
 3 180/6.2  
 3 280/5.51  
 3 303/10

10664759\_CLS

3 303/113.2  
3 303/116.1  
3 303/122  
3 303/163  
3 303/166  
3 303/167  
3 303/186  
3 303/188  
3 701/36  
3 701/37  
3 701/38  
3 701/42  
3 701/73  
3 701/82  
3 701/89  
3 701/90  
2 105/167  
2 180/244  
2 180/248  
2 180/402  
2 180/410  
2 180/411  
2 180/415  
2 180/421  
2 180/422  
2 180/65.1  
2 188/181R  
2 188/358  
2 280/446.1  
2 303/114.1  
2 303/116.2  
2 303/116.4  
2 303/14  
2 303/154  
2 303/158  
2 303/165  
2 303/169  
2 303/183  
2 303/189  
2 303/191  
2 303/20  
2 303/7  
2 701/1  
2 701/48  
2 701/69  
2 701/76  
2 701/79  
2 701/84  
2 701/88  
2 701/91

## 10664759\_CLSTITLES

Titles of Most Frequently Occurring Classifications of Patents Returned  
From A Search of 10664759 on May 12, 2004

72 303/146 (44 OR, 28 XR)  
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
303/121 SPEED-CONTROLLED  
303/146 .With yaw control

34 303/140 (5 OR, 29 XR)  
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
303/121 SPEED-CONTROLLED  
303/139 .And traction control  
303/140 ..With yaw control

30 701/72 (3 OR, 27 XR)  
Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
RELATIVE LOCATION  
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
INDICATION  
701/70 .Indication or control of braking,  
acceleration, or deceleration  
701/71 ..Antiskid, antilock, or brake slip control  
701/72 ...During cornering or turning of vehicle

28 701/70 (18 OR, 10 XR)  
Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
RELATIVE LOCATION  
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
INDICATION  
701/70 .Indication or control of braking,  
acceleration, or deceleration

27 180/197 (2 OR, 25 XR)  
Class 180 : MOTOR VEHICLES  
180/197 WITH MEANS FOR DETECTING WHEEL SLIP DURING  
VEHICLE ACCELERATION AND CONTROLLING IT BY REDUCING  
APPLICATION OF POWER TO WHEEL

21 303/147 (4 OR, 17 XR)  
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
303/121 SPEED-CONTROLLED  
303/146 .With yaw control  
303/147 ..From speed sensors

17 701/41 (5 OR, 12 XR)  
Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
RELATIVE LOCATION  
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
INDICATION  
701/36 .Vehicle subsystem or accessory control  
701/41 ..Steering control

12 701/71 (2 OR, 10 XR)  
Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
RELATIVE LOCATION  
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
INDICATION  
701/70 .Indication or control of braking,

10664759\_CLSTITLES

acceleration, or deceleration  
701/71 ..Antiskid, antilock, or brake slip control

11 303/148 (3 OR, 8 XR)  
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
303/121 SPEED-CONTROLLED  
303/146 .With yaw control  
303/148 ..From split coefficient of friction (mu)

9 701/83 (2 OR, 7 XR)  
Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
RELATIVE LOCATION  
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
INDICATION  
701/70 .Indication or control of braking,  
acceleration, or deceleration  
701/82 ..Antispin, traction control, or drive slip  
control  
701/83 ...Control of brake pressure

8 303/149 (2 OR, 6 XR)  
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
303/121 SPEED-CONTROLLED  
303/149 .Split coefficient of friction (mu)

8 701/78 (0 OR, 8 XR)  
Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
RELATIVE LOCATION  
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
INDICATION  
701/70 .Indication or control of braking,  
acceleration, or deceleration  
701/71 ..Antiskid, antilock, or brake slip control  
701/78 ...Control of brake pressure

6 303/113.5 (0 OR, 6 XR)  
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
303/121 SPEED-CONTROLLED  
303/113.1 .Having a valve system responsive to a wheel  
lock signal  
303/113.5 ..With system apportioning control

5 303/155 (1 OR, 4 XR)  
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
303/121 SPEED-CONTROLLED  
303/155 .Braking pressure demand or braking force  
desire

5 701/74 (1 OR, 4 XR)  
Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
RELATIVE LOCATION  
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
INDICATION  
701/70 .Indication or control of braking,  
acceleration, or deceleration  
701/71 ..Antiskid, antilock, or brake slip control  
701/74 ...Having particular means to determine a  
reference value for wheel slippage or pseudo-vehicle speed

d

10664759\_CLSTITLES

- 5 701/80 (1 OR, 4 XR)  
 Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
 RELATIVE LOCATION  
 701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
 INDICATION  
 701/70 .Indication or control of braking,  
 acceleration, or deceleration  
 701/71 ..Antiskid, antilock, or brake slip control  
 701/78 ...Control of brake pressure  
 701/80 ....Having coefficient of friction or road  
 condition determining means
- 4 303/113.4 (1 OR, 3 XR)  
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
 303/121 SPEED-CONTROLLED  
 303/113.1 .Having a valve system responsive to a wheel  
 lock signal  
 303/113.4 ..Including a stroke sensor
- 4 303/150 (2 OR, 2 XR)  
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
 303/121 SPEED-CONTROLLED  
 303/150 .Specific mu determination
- 4 303/193 (1 OR, 3 XR)  
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
 303/121 SPEED-CONTROLLED  
 303/191 .Odd condition or device detection (e.g., fluid  
 or brake temperature, hill holder, anti-squeal controlle  
 r,  
 acoustic emission)  
 303/193 ..With sonar or radar type sensor
- 4 303/3 (2 OR, 2 XR)  
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
 303/2 MULTIPLE SYSTEMS  
 303/3 .Fluid pressure and electric
- 3 180/169 (1 OR, 2 XR)  
 Class 180 : MOTOR VEHICLES  
 180/167 WITH MEANS FOR CONTROLLING OPERATION RESPONSIVE  
 TO ELECTROMAGNETIC RADIATION, MAGNETIC FORCE, OR SOUND  
 WAVES RECEIVED FROM SOURCE, OR REFLECTED FROM OBJECT OR  
 SURFACE, LOCATED APART FROM VEHICLE  
 180/169 .Radiation, force, or waves reflected from  
 external object or surface
- 3 180/408 (2 OR, 1 XR)  
 Class 180 : MOTOR VEHICLES  
 180/400 STEERING GEAR  
 180/408 .Each wheel steerable
- 3 180/446 (0 OR, 3 XR)  
 Class 180 : MOTOR VEHICLES  
 180/400 STEERING GEAR  
 180/443 .With electric power assist  
 180/446 ..Condition modulated

10664759\_CLSTITLES

- 3 180/6.2 (1 OR, 2 XR)
  - Class 180 : MOTOR VEHICLES
  - 180/6.2 STEERING BY DRIVING
- 3 280/5.51 (0 OR, 3 XR)
  - Class 280 : LAND VEHICLES
  - 280/5.5 SUSPENSION MODIFICATION ENACTED DURING TRAVEL  
(I.E., ACTIVE SUSPENSION CONTROL)
  - 280/5.508 .Lateral vehicle disposition
  - 280/5.51 ..Steering element responsive (e.g., steering  
angle, steering rate)
- 3 303/10 (0 OR, 3 XR)
  - Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
  - 303/10 WITH PUMP
- 3 303/113.2 (1 OR, 2 XR)
  - Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
  - 303/121 SPEED-CONTROLLED
  - 303/113.1 .Having a valve system responsive to a wheel  
lock signal
  - 303/113.2 ..With traction control
- 3 303/116.1 (1 OR, 2 XR)
  - Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
  - 303/121 SPEED-CONTROLLED
  - 303/113.1 .Having a valve system responsive to a wheel  
lock signal
  - 303/116.1 ..Including pump with system solenoid valve
- 3 303/122 (1 OR, 2 XR)
  - Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
  - 303/121 SPEED-CONTROLLED
  - 303/122 .With failure responsive means
- 3 303/163 (0 OR, 3 XR)
  - Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
  - 303/121 SPEED-CONTROLLED
  - 303/163 .Slip ratio
- 3 303/166 (0 OR, 3 XR)
  - Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
  - 303/121 SPEED-CONTROLLED
  - 303/166 .Wheel speed sensor and braking pressure sensor
- 3 303/167 (1 OR, 2 XR)
  - Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
  - 303/121 SPEED-CONTROLLED
  - 303/167 .Brake force or pressure determined from speed  
sensors
- 3 303/186 (0 OR, 3 XR)
  - Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
  - 303/121 SPEED-CONTROLLED
  - 303/186 .Front-rear axle apportioning or speed  
difference



10664759\_CLSTITLES

- 3 303/188 (0 OR, 3 XR)  
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
 303/121 SPEED-CONTROLLED  
 303/188 .All wheel apportioning arrangement (e.g.,  
 cross coupling)
- 3 701/36 (1 OR, 2 XR)  
 Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
 RELATIVE LOCATION  
 701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
 INDICATION  
 701/36 .Vehicle subsystem or accessory control
- 3 701/37 (0 OR, 3 XR)  
 Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
 RELATIVE LOCATION  
 701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
 INDICATION  
 701/36 .Vehicle subsystem or accessory control  
 701/37 ..Suspension control
- 3 701/38 (0 OR, 3 XR)  
 Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
 RELATIVE LOCATION  
 701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
 INDICATION  
 701/36 .Vehicle subsystem or accessory control  
 701/37 ..Suspension control  
 701/38 ...Attitude change suppressive control (e.g.,  
 antiroll or antipitch)
- 3 701/42 (0 OR, 3 XR)  
 Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
 RELATIVE LOCATION  
 701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
 INDICATION  
 701/36 .Vehicle subsystem or accessory control  
 701/41 ..Steering control  
 701/42 ...Feedback, transfer function or proportional  
 and derivative (P&D) control
- 3 701/73 (2 OR, 1 XR)  
 Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
 RELATIVE LOCATION  
 701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
 INDICATION  
 701/70 .Indication or control of braking,  
 acceleration, or deceleration  
 701/71 ..Antiskid, antilock, or brake slip control  
 701/73 ...On split coefficient surface (u)
- 3 701/82 (1 OR, 2 XR)  
 Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
 RELATIVE LOCATION  
 701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
 INDICATION  
 701/70 .Indication or control of braking,  
 acceleration, or deceleration  
 701/82 ..Antispin, traction control, or drive slip

10664759\_CLSTITLES  
control

- 3 701/89 (2 OR, 1 XR)  
Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
RELATIVE LOCATION  
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
INDICATION  
701/70 .Indication or control of braking,  
acceleration, or deceleration  
701/82 ..Antispin, traction control, or drive slip  
control  
701/89 ...Four wheel drive vehicle
- 3 701/90 (1 OR, 2 XR)  
Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
RELATIVE LOCATION  
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
INDICATION  
701/70 .Indication or control of braking,  
acceleration, or deceleration  
701/82 ..Antispin, traction control, or drive slip  
control  
701/90 ...Having particular slip threshold, target  
slip ratio, or target engine torque determining means
- 2 105/167 (2 OR, 0 XR)  
Class 105 : RAILWAY ROLLING STOCK  
105/157.1 TRUCKS  
105/165 .Radial  
105/167 ..Bogie
- 2 180/244 (0 OR, 2 XR)  
Class 180 : MOTOR VEHICLES  
180/233 HAVING FOUR WHEELS DRIVEN  
180/244 .With means for braking either (1) one or more  
driven wheels or (2) structure transmitting drive to whee  
1
- 2 180/248 (0 OR, 2 XR)  
Class 180 : MOTOR VEHICLES  
180/233 HAVING FOUR WHEELS DRIVEN  
180/248 .With differential means for driving two wheel  
sets at dissimilar speeds
- 2 180/402 (1 OR, 1 XR)  
Class 180 : MOTOR VEHICLES  
180/400 STEERING GEAR  
180/402 .No mechanical connection between steering  
shaft and steering gear
- 2 180/410 (0 OR, 2 XR)  
Class 180 : MOTOR VEHICLES  
180/400 STEERING GEAR  
180/408 .Each wheel steerable  
180/409 ..Occupant steered  
180/410 ...With condition modulated steering
- 2 180/411 (0 OR, 2 XR)

```

Class      180 :  MOTOR VEHICLES
180/400     STEERING GEAR
180/408     .Each wheel steerable
180/411     ..Independently controlled steerable wheels

```

- Page 7

10664759\_CLSTITLES

Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
 303/121 SPEED-CONTROLLED  
 303/113.1 .Having a valve system responsive to a wheel  
                   lock signal  
 303/116.1 ..Including pump with system solenoid valve  
 303/116.2 ...Having pressure line isolated from master  
                   cylinder line

2 303/116.4 (1 OR, 1 XR)  
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
 303/121 SPEED-CONTROLLED  
 303/113.1 .Having a valve system responsive to a wheel  
                   lock signal  
 303/116.4 ..System pump structure detail

2 303/14 (0 OR, 2 XR)  
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
 303/13 MULTIPLE CONTROL  
 303/14 .Double heading

2 303/154 (0 OR, 2 XR)  
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
 303/121 SPEED-CONTROLLED  
 303/154 .Multiple control signal with multiple  
                   threshold

2 303/158 (0 OR, 2 XR)  
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
 303/121 SPEED-CONTROLLED  
 303/158 .Pressure reapply control

2 303/165 (2 OR, 0 XR)  
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
 303/121 SPEED-CONTROLLED  
 303/165 .Variable target slip values

2 303/169 (0 OR, 2 XR)  
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
 303/121 SPEED-CONTROLLED  
 303/169 .Left or right speed comparison

2 303/183 (0 OR, 2 XR)  
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
 303/121 SPEED-CONTROLLED  
 303/177 .Sensing jerk, acceleration, or deceleration  
 303/183 ..Specific acceleration or deceleration  
                   determined electronically

2 303/189 (0 OR, 2 XR)  
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
 303/121 SPEED-CONTROLLED  
 303/189 .Independent control for each wheel

2 303/191 (0 OR, 2 XR)  
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
 303/121 SPEED-CONTROLLED  
 303/191 .Odd condition or device detection (e.g., fluid  
                   or brake temperature, hill holder, anti-squeal controller

10664759\_CLSTITLES  
acoustic emission)

- 2 303/20 (0 OR, 2 XR)  
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
303/20 ELECTRIC CONTROL
- 2 303/7 (0 OR, 2 XR)  
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS  
303/5 MULTIPLE FLUID-RECEIVING DEVICES  
303/6.01 .Multiple motors  
303/7 ..Sectional train
- 2 701/1 (2 OR, 0 XR)  
Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
RELATIVE LOCATION  
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
INDICATION
- 2 701/48 (0 OR, 2 XR)  
Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
RELATIVE LOCATION  
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
INDICATION  
701/36 .Vehicle subsystem or accessory control  
701/48 ..Cooperative or multiple control (e.g.,  
suspension and braking)
- 2 701/69 (0 OR, 2 XR)  
Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
RELATIVE LOCATION  
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
INDICATION  
701/69 .Control of power distribution between vehicle  
axis or wheels (e.g., four wheel drive vehicle)
- 2 701/76 (0 OR, 2 XR)  
Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
RELATIVE LOCATION  
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
INDICATION  
701/70 .Indication or control of braking,  
acceleration, or deceleration  
701/71 ..Antiskid, antilock, or brake slip control  
701/76 ...Fail-safe system
- 2 701/79 (1 OR, 1 XR)  
Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND  
RELATIVE LOCATION  
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR  
INDICATION  
701/70 .Indication or control of braking,  
acceleration, or deceleration  
701/71 ..Antiskid, antilock, or brake slip control  
701/78 ...Control of brake pressure  
701/79 ....Having speed variation responsive means  
(e.g., acceleration, deceleration)
- 2 701/84 (0 OR, 2 XR)  
Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND

10664759\_CLSTITLES

		RELATIVE LOCATION
701/1		VEHICLE CONTROL, GUIDANCE, OPERATION, OR INDICATION
701/70		.Indication or control of braking, acceleration, or deceleration
701/82		..Antispin, traction control, or drive slip control
701/84		...Control of engine torque
2	701/88	(0 OR, 2 XR)
	Class	701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND RELATIVE LOCATION
	701/1	VEHICLE CONTROL, GUIDANCE, OPERATION, OR INDICATION
	701/70	.Indication or control of braking, acceleration, or deceleration
	701/82	..Antispin, traction control, or drive slip control
	701/88	...Restricting differential operation
2	701/91	(0 OR, 2 XR)
	Class	701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND RELATIVE LOCATION
	701/1	VEHICLE CONTROL, GUIDANCE, OPERATION, OR INDICATION
	701/70	.Indication or control of braking, acceleration, or deceleration
	701/82	..Antispin, traction control, or drive slip control
	701/91	...Integrated with antiskid or other vehicle control system (e.g., cruise control, suspension)